Visit product page



FOS BLINDER INNOVATIVE

L004906

Very powerful blinder, it use 4pcs high power 100W COB LED It can adjust the beam angle, Output: 35,000 lm, Warm White, Optical lens: 60°, Color temperature: 3000K, IP65

TECHNICAL DETAILS

Light Source / Optics

4x 100 Watt LEDs, 3000K.
Beam angle: 60° each LED.
Lifespan: Over 50,000 hours.
1300 lux in 5 meters.

Effects

Different dimmer curves.
Linear dimming from 0 to 100%.
Strobe effects.

Control

Stand Alone & DMX control mode.
1, 3, 4, 9 & 10 DMX control channels.

Installation / Dimension Details

Power Supply: 90/260 Volt AC, 50 / 60 Hz.
Power Consumption: 400 Watts Max.

IP65 protection from water splashes and dust.
Dimensions: 380 x 380 x 190 mm.
Carton Box: 560 x 440 x 460 mm
Weight: 10,9 Kg.

PHOTOS











PRODUCT VIDEO

ACCESSORIES



FOS Case Blinder Innovative

Flight case with wheels for 4 pcs Blinder Innovati



FC-TP-PDC-1.5

Professional TruePowercon/ DMX cable 1.5 meter.



FC-TP-PDC-3

Professional TruePowercon/ DMX cable 3 meter.



FC-TP-PDC-5

Professional TruePowercon/ DMX cable 5 meter.

www.fos-lighting.eu