



Visit product page



## FOS REBORN 200

L005616

Reborn 200 is a LED retrofit for Source 4 profile. Upgrade your source 4 profile in just seconds. high CRI?98,, bright output and low heat, energy save, RDM function, long life LED 175W 3200K, LCD display, XLR in & out,

### TECHNICAL DETAILS

#### Light Source

Light source: 175W COB LED - equivalent to 600W lamp.

Color temperature: 3,200K.

Minimum LED lifetime: 50,000 hours.

#### Photometric Data

Measuring Distance: 2 meters		
	ETC Profile 15°	ETC Profile 30°
Color Temperature (K)	2920	2905
Illuminance (lx)	20603	5253
CRI (Ra)	98	98
TLCI (Qa)	98.5	98.5
Flicker Frequency (Hz)	295	140
Flicker(%)	8	3
Noice Level (dB)		

#### Technical characteristics

Controlled via 1 channel DMX.

3pin XLR DMX signal connections.

Dimmer frequencies: 1.2 KHz, 1.6 KHz, 2.4 KHz, 4.0 KHz, 6.0 KHz, 20.0 KHz.

Power supply: 100/240 Volt AC, 50/60 Hz.

Typical power consumption: 175 Watt.

Forced air cooling.


Maximum ambient temperature (Ta max.): 40° C (104° F).

Minimum ambient temperature (Ta min.): -10° C (14° F).

## PHOTOS



## PRODUCT VIDEO



[www.fos-lighting.eu](http://www.fos-lighting.eu)



