



Visit product page



## FOS STROBE LIGHT BAR

L004834

Strobe light Bar which use 12pcs SMD white color max power 15 watt , 12 section pixel control Beam Angle: 90 degree , DMX ,Auto,Random , DMX Channels: 4CH,12CH,16CH

### TECHNICAL DETAILS

#### Light Source/Optics

12 White LEDs 15Watt Cool White  
Average lifespan: 50000 Hours  
Beam aperture: 90°

#### Effects

12 Sections Pixel Control.  
Dimmer: 0-100% linear dimming.  
Adjustable speed stop/strobe effect (1-30 flash/sec).  
Chases with adjustable speed, accessible via DMX512.

#### Control

Control modes: DMX 512 (4/12/16 DMX channels), sound activated, auto mode  
Stand-alone mode and Master/Slave modes  
Data in/out: 3 pin XLR

#### Installation/Dimension Details

Operating positions: all (device on floor or fixed to a support)  
Maximum permitted ambient temperature (Ta max): 45°C (113°F). Minimum permitted ambient temperature authorized (Ta min): -10°C (14°F).

Voltage: 110 to 240 Volts – 50/60Hz

Powercon in/out

Power consumption: 180 Watt Max

Dimensions: 92 x 14.5 x 11,2 cm

Weight: 4.6 kg

## Packing Details

Carton Box for 1 pc: 95.5 x 13 x 21 cm - 5.1 kg

Carton Box for 1 pc: 97.5 x 29 x 46 cm - 23 kg

## PHOTOS



## PRODUCT VIDEO





[www.fos-lighting.eu](http://www.fos-lighting.eu)

